Int. J. Pres. Ves. & Piping **34** (1988) 365–369

Index

ABAQUS, 261
Accident transient, 228
Acoustic emission examination, 285–6
Acoustic emission measurements, 199–202
ADINA code, 288
Annealed pressure vessels, surveillance program for. *See* Surveillance program
Annealing
  of irradiated pressure vessel weldments, 155–70
    discussion, 295
Arrested crack reinitiation, 235
ASME Code, 14, 64, 67, 260
  Section III, 21, 246, 340, 347, 351
  Section XI, 80, 166, 222–4, 229, 231, 233, 235, 252, 262, 305, 311, 349

Balance-of-plant (BOP) piping, 240
Barsebäck nuclear power station, 318
Beaver Valley Power Station—Unit 2 (BPVS-2), 237–54
Boiling water reactors (BWR), 4, 12, 17–29, 44–5, 47–57, 87, 119, 293, 310–11, 332, 336, 338
Bursting pressures, 274

CANDU Class 1 carbon steel piping, 255–63
Carbon dioxide, 49–50
Carbon steel piping, 255–63, 311
    erosion–corrosion, 331, 333
Carbonate, 49–50
CE/EPRI
  crack arrest program, 207
  experiments, 211–14
  tests, 209, 211–14
Ceramics coatings, 83–7
Charpy
  specimens, 156
  transition temperature, 158, 161, 166–7, 168–9, 178, 181
  upper shelf toughness monitoring, 167
  V energy values, 272
CHEC (Chexal Horowitz Erosion Corrosion code), 333–5, 338
Chemistry factor, 174, 177, 179, 181–3
Chernobyl accident, 316, 318, 327
Chloride impurity effects, 53–6
Compact tension (CT) specimens, 120, 131
Constant-extension rate tests (CERT), 47–8, 120
Copper impurity effects, 53–6
Corrosion, 3
  flaws resulting from, 83
  safe detection of component behaviour, 152–3
  thermal shock tests, 187–205
  see also Erosion–corrosion
Corrosion fatigue, 124–5

Int. J. Pres. Ves. & Piping (**34**) (1988)—© 1988 Elsevier Science Publishers Ltd, England.
Printed in Great Britain

Crack advance verification system (CAVS), 4
Crack arrest, 278
  evaluation, 227–36
  experiments, 211–14
  multiple, 218
  stress intensity factor at, 207–25
    discussion, 297–9
  tests, 223
  verification system (CAVS), 6
    case history, 12–14
Crack driving force, 274
Crack growth
  analysis, 12–14
  discussion, 297
  monitoring, 283–6
  prediction, 14
  thermal shock tests, 187–205
Crack initiation, 274, 287
  discussion, 297
  thermal shock tests, 187–205
Crack ligament strains, 279
Crack nucleation versus crack growth, 135–8
Crack opening displacement (COD), 273, 283–5
Crack propagation, 278
  discussion, 297
  dynamics of, 208
  evaluation, 252–3
Crack stability
  under excessively high loads, 250
  under normal plus SSE loads, 247–50
Critical crack depth diagram, 229–30

Data acquisition, 96
Decontamination process, 44
Double cantilever beam (DCB) specimens, 120, 131

Eddy current technology, 96–100
EDDY-360, 96–100
EDM (electric discharge machining), 97–100
Electro-polishing, 45
Erosion–corrosion, 3
  carbon steel piping, 331, 333
  pipe wall thinning due to, 311–12
  piping failure, 312–13, 331–43
    discussion, 359

Fatigue
  analysis, 143–70
    comments on present practice, 145–8
    discussion, 294
    plant experience, 148–52
    safe detection of component behaviour, 152–3
  crack growth, 76–7, 348–9
  damage, 148
  endurance limit, 147
  monitoring, 9–12
  usage factor, 147
  usage procedure, 10
Finite element method, 266, 280, 287, 288, 348
Flange seal surfaces, 83–7
Flaw prevention, 83–93
  discussion, 114–15
FLET computer code, 247
Fluence factor, 174, 181
Fracture
  analysis, 349
  behaviour of pressure vessels, 265–91
  mechanics, 120, 204, 207, 227, 228, 258
    future investigations, 222–4
  resistance curves, 272
  surface, 278
  toughness, 280

Gas tungsten arc welding (GTAW) process, 61, 241

Heat treatment processes, 41–2, 100–5
Heat-affected zone (HAZ), 23–8, 69
Heating stress improvement (IHSI), 70
HSST/NBS wide plate program, 207
HSST/ORNL pressurized thermal shock program, 207
Hydrogen water chemistry (HWC), 48, 50–5, 112, 311
Hydrotest, 265–91

IHSI (introduction heating stress improvement) heat sink welding, 18
Impurity effects
  in water chemistry, 47–57
    discussion, 112–13
Inconel 600, 95

Independent Third Party Inspection Agency (ITPIA), 351, 362
Independent Validation Center (IVC), 362
Induction heating stress improvement (IHSI), 87
Influence coefficients, 223
Inspection
  authorised agency role, 351–2
  in-process and in-service, 350–1
Instrumentation, 271–3
Intergranular stress corrosion cracking (IGSCC), 3, 18, 47–57, 59–82, 87, 90, 95, 310–11
International Cooperative Group on Cyclic Crack growth (ICCGR), 124, 125
Irradiated pressure vessel steel, annealing, 155–70
Irradiated pressure vessel weldments, annealing of, discussion, 295
Irradiation embrittlement, 3
Irradiation of pressure vessel materials, 171–85

J-integral, 274, 288

Laser irradiation, 85
Last-pass heat sink welding (LPHSW), 18, 69, 70
Leak-before-break (LBB), 237–63
  application of, 260
  approach to, 256–8
  areas of further work, 262–3
  criteria assessment, 265
  discussion, 299–302
  formulation of, 258–60
  leak detection capabilities, 244–5
  leak rate estimates, 246–7
  licensing requirement, 256
  sample calculations, 245–52
  status of, 261–2
  systems approach to, 259
Licensee Event Reports (LERs), 148
Life estimation flow chart, 153
Ligament yielding, 281–2
Light-water reactors (LWRs), 144, 147–9, 152, 293
LINDE 80 and LINDE 1092 weldments, 179–84
Low alloy steel plate, 175
Low alloy steels, 293

Magnesium chloride, 72–3, 90
Materials
  characterization, 271
  monitoring, 4–6
  research, 266–7
Mechanical stress improvement process. *See* MSIP
Microhardness tests, 156
Mind-sets, 315–30
  about non-mechanical matters, 322–3
  and organizations, 325–6
  attitudes about, 317
  discussion and conclusions, 328–30
  examples of, 318–22
  human aspects of, 323–5
Moment modified compact tension (MMCT)
  test results, 219–21
  test specimen, 211–14
  tests, 233
MSIP (mechanical stress improvement process), 17–19, 22–9
  24-in tool with box presses, 28
  basic concept of, 23

Neutron fluence, 229
Nitrate impurity effects, 52–3
Nondestructive examination, 59–82, 350, 359–60
  weld overlay repair, 78–9
Normal water chemistry (NWC), 48, 50–3
Nuclear Installation Inspectorate (NII), 356
NUREG-0313, 62

OCA program, 223, 229, 233
On-line monitoring, 3–16
  discussion, 109–15
  types of systems, 4
ORNL dynamic analysis, 222
Oxygen effects on growth rates, 128–9
Oxygen injection, 336

Peening processes, 38–41
pH effects, 50, 147, 336, 359
PICEP code, 246
Pipe crack monitor (PCM), 4
Pipe wall thinning due to erosion–corrosion, 311–12
Pipelocks, 17, 19–22
  end-cap application, 21
  equilibrium and kinematics, 20

Pipelocks—*contd.*
protecting bimetallic safe-end weldments, 21
typical cross-section, 20
Pipe-whip restraints, 257
Piping
design changes, 338
engineering analysis, 338
failure
due to erosion–corrosion, 312–13
erosion–corrosion in, 331–43
implications of, 331–43
locations, 149
see also Leak-before-break (LBB)
problems, 309–13
discussion, 355–6
repair/replacement options, 338
steels, 119–42
discussion, 293
PISC trials, 361, 363
Potential drop measurement, 273
Pressure tests, 267–73
results and discussion, 276–88
Pressure Vessel Quality Assurance Board (PVQAB), 351
Pressure vessel steels, 119–42
Pressure vessels, 187–205
annealed, surveillance program. *See* Surveillance program failures
attitudes about consequences, 326–7
attitudes and mind-sets, 315–30
mechanisms, 276
fracture behaviour of, 265–91
irradiated. *See* Irradiated pressure vessels materials
base metals, 175–9
irradiation of, 171–85
weld metals, 179–81
repair of, 288
weldments, annealing and reirradiation, 155–70
Pressurized thermal shock (PTS) conditions, 227
Pressurized thermal shock experiments (PTSE-1), 217–21, 233
test results, 219–21
Pressurized water reactors (PWR), 44–5, 119–20, 149, 293, 303, 304, 332, 336, 338, 351

Radioactivity levels, methods of reducing, 44
Reactor water clean-up (RWCU) ion-exchange resin, 49
Recirculation inlet safe ends, 12–14
Reinitiation of arrested cracks, 235
Re-rolling process, 42
Residual stresses
benefits of, 71–5
X-ray measurements of, 41
Reversing DC potential technique, 6, 13
ROGER, 103, 105, 106
Rotating pancake coil (RPC), 96–100
Roto-peening, 38–41
Rupture behaviour, 276
Rupture pressures, 287

Shielded metal arc weld (SMAW), 241
Shot-peening, 38–41
Sizewell B nuclear power station, 345–53
discussion, 356–7, 359–64
inspection in-process and in-service, 350–1
Public Inquiry, 346–7
Specimen size effect on growth rates, 131
Stainless steel, 13–14, 18, 47, 51–6, 78, 92, 241, 251
Standard Review Plan (SRP), 240–1
Start-up environment, 48, 56
Steam generators
additional operations, 43–5
application of maintenance techniques, 32–5
decontamination process, 44
electro-polishing, 45
plug removal, 105–8
recovery of loose parts, 43
reducing radioactive exposure, 44
repair of, 31–45
discussion, 110–12
safety considerations, 31–2
sludge and tube deposit removal, 43
tube/anti-vibration bar wear, 44
tube plugging, 33–5
tube problems, 32
tube recovery, 35–8
tube remedial measures, 38–42
tube removal, 35
U-bend
heat treatment, 100–5
inspection program, 96–100
integrity, 95–108
discussion, 115–16
Stratification problems, 149
Stress
analysis, 347–8
corrosion cracking, 3, 119–42

Stress—*contd.*
BWR piping systems, 17–29
discussion, 293
reactor environments, 126–7
safety margins against, 132–5
see also Intergranular stress corrosion cracking (IGSCC); Transgranular stress corrosion cracking (TGSCC)
history, 12
intensity effect, 122–4
intensity factor, 227, 274
approximate method, 208–10
at crack arrest, 207–25
discussion, 297–9
versus time determination, 11
Structural integrity assurance, 3–15
discussion, 109–15
Submerged arc weld (SAW), 241
Sulfate impurity effects, 50–1
Sulphur effect on growth rates, 130–1
SUPERTAB, 288
Surry Unit 2 piping failure, 331–43
Surveillance program
annealed pressure vessels, 164–9
general strategy for, 165
transition temperature monitoring, 166–9
upper shelf toughness monitoring, 167–9

Temperature effects, on stress corrosion cracking, 127–8
Temperature history, 11
Thermal aging embrittlement, 78
Thermal fatigue, 149
Thermal mixing tests, 188–90
Thermal shock effect, 303
Thermal shock tests, 187–205
future investigations, 203–4
nozzle, 192–6
RPV wall, 196–204
see also Pressurized thermal shock tests
Thermal stresses, 150
Three Mile Island, 316
THSI (TIG torch reheating stress improvement), 90–2
Transgranular stress corrosion cracking (TGSCC), 126–35
effect of oxygen, 128–9
effect of specimen size, 131
effect of sulphur, 131
effect of temperature, 127–8
Trojan Nuclear Plant, 312–13

USNRC Regulatory Guide 1.99, 172–84

Vickers hardness number, 158

Water chemistry, 12–14, 124, 135, 334, 336
impurity effects in, 47–57
discussion, 112–13
see also Hydrogen water chemistry (HWC)
Weld metal, 179–81
IGSCC resistance, 69
specification, 65
Weld metal overlay (WOL), 90
Weld overlay repair, 59–82
application, 64–6
Battelle/NRC degraded pipe tests, 75–6
degradation mechanisms, 76–8
design, 60–4
discussion, 113–14
in-process and post-overlay examinations, 66
nondestructive examination, 78–9
qualification for long-term service, 69–78
shrinkage effects, 66–9
Welding process and equipment, 65
Welding requirements, in-process, 65
Wide-plate tests, 209, 215–17, 221–2, 233
test results, 219–21